



Ambara®

Thermally Modified Wood - Siding, Patterns, Trim

" **Ambara®** is stunning, uniform, and easy to work with. The finished product is simply breathtaking! "



30 Years of Ambara®

Siding | Ceiling | Trim | Beams
Fencing | Pergolas

Ambara®, thermally modified Obeche, or Ayous, has been a popular and versatile wood option in Europe for over 30 years.

Incredibly stable, durable, and easy to use, Ambara® can be used in a wide variety of challenging applications, from post and beam wraps to exterior siding in the harshest of climates.



10 years of Exposure on Ambara® Siding



*After 10 years exposure

Ambara®'s warm tones fade to silver when left unfinished over time.

Both photos are of the same project, roughly 10 years apart.



*Newly Installed



Lower Deck Ceiling & BBQ Accents



T&G V-Joint ceiling left unfinished. Post and beam wraps in S4S boards finished with ExoShield® Clear.



Modern Ranch Siding & Soffit

Dutch Lap custom pattern siding, T&G V-Joint soffit, and S4S trim boards left unfinished.






Patio Ceiling & Post Wraps



T&G V-Joint ceiling and S4S boards used for post wraps, finished with ExoShield® Clear.



Vertical Siding



Unfinished S4S siding with hidden fastening clips, and two years of exposure.



Farmhouse Siding

Unfinished T&G V-Joint
siding with two years of
exposure.





Pool House Siding & Soffit

Fluted siding and soffit, finished with Woca Teak oil.

Photo credit: Lobke Vale Fotografie



Interior Accent Wall

Fluted paneling, finished with Woca Teak oil.

Photo credit: Lobke Vale Fotografie



Lake House Siding

Face screwed shiplap siding.

Photo credit: Lobke Vale Fotografie

Lake House Siding

Shiplap siding in vertical application.

Photo credit: Lobke Vale Fotografie





Exterior Accent Wall

Fluted siding, finished with Woca Teak oil.

Photo credit: Lobke Vale Fotografie

Fence & Pavillion

T&G Nickel Gap ceiling and mixed-width fence finished with custom blends of ExoShield®. S4S boards used for columns and beams painted with Farrow and Ball custom white.





Product Offerings

Ambara® can be milled into common or custom patterns. Ambara® is stocked in standard sizes as S4S Blanks and Rough Sawn.

4/4 thickness in 4", 6", 8", 10", and 12" widths
5/4 thickness in 4", 6", 8", 10", and 12" widths
8/4 thickness in 4", 6", 8", 10", and 12" widths

S4S trim boards:
1×4 through 1×12, 5/4×4 through 5/4×12,
2×4 through 2×12

Additional dimensions available upon request.

Nova recommends ExoShield® wood stain for finishing. Rainscreen applications should be assembled with Nova's ExoClad® QuickClip®. Ambara® can be glued with PU, PUR, and STP adhesives.

25 year warranty.

Common Siding, Patterns & Trim

