



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

<b>LISTING No.:</b>	8140-2377:0003
<b>CATEGORY:</b>	8140 - EXTERIOR WALL SIDING AND SHEATHING FOR WILDLAND URBAN INTERFACE (W.U.I)
<b>LISTEE:</b>	Nova USA Wood Products 3821 24th Ave, Forest Grove, OR, 97116 Contact: Sutfin, Micah (503) 419-6407 Email: micah@novausawood.com
<b>DESIGN:</b>	<p>Thermo Ambara is a thermally modified Tongue and Groove Nickel Gap/Reverse siding product, minimum nominally 1" thick x 6" wide. Product is designed to be installed horizontally over 7/16" exterior OSB sheathing with nominal 2" x 4" wood studs spaced 16" on center. Product is also available in the following Western Wood Products Association (WWPA), all nominally 1x6, 1x8, 1x10, or 1x12, Standard Patterns: WP-2, WP-4, WP-8, WP-10, WP-12, WP-14, WP-16, WP-18, WP-20, and 116. Also, the following Redwood Lumber Patterns No. 17 at all nominally 1x6, or wider: 16, 17, 18, 633, 634, 633EE, 634EE, 708, 715, 716, 708R, 715R, 716R, 616, 617, 711, 712, 713, 711R, 712R, 713R, 733R, and 734R.</p> <p>Refer to manufacturer's installation instructions and product data sheets.</p>
<b>RATING:</b>	SFM 12-7A-1
<b>INSTALLATION:</b>	In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.
<b>MARKING:</b>	Listee name, Model number, rating and SFM label.
<b>APPROVAL:</b>	Listed as exterior wall assembly for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details.
<b>NOTES:</b>	Test Protocol SFM 12-7A-1

01-30-26 MH



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 01/30/2026

Listing Expires: 06/30/2026



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING & INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

**LISTING SERVICE**

Authorized By: **Michael Huang**, Program Coordinator  
Fire Engineering & Investigations Division